

















equipped with Bluetooth class 2** to wirelessly play music from a mobile device. **With a range of 10m (33ft);

Bluetooth®

up to 30m (100ft) in good radio conditions





Dust and shower-proof construction: IP64

For use in outdoor applications or harsh environments

Front metal pipe

AUX-IN jack

used as a stereo speaker by connecting to external audio source with a commercial connecting cable.








• allows for charging a mobile device.

Trakita C

 Type A USB socket for DC5V/ 1.0A USB output





Carry handle

- · Swivels 90 degrees
- Features soft grip



Elastomer bumpers

protect against rough handling with falling impact strength of 1.0m.

Large Ø 89mm speaker

AC adapter jack



Dual Power Sources

Runs on AC adapter or Makita rechargeable Li-ion batteries.



Continuous run time (approx): hour

77-27 14 14 14 14 14 14 14 14 14 14 14 14 14 1	1.5Ah BL0715	7.5	LXT TANT TANTON	1.5Ah BL1415N	7.0
				3.0Ah BL1430B	12
				4.0Ah BL1440	19
	1.3Ah BL1013	7.0		5.0Ah BL1450	23
				6.0Ah BL1460B	25
CXT 12Vmax LITHUMHON	1.5Ah BL1016	8.5		1.5Ah BL1815N	7.5
	I.SAN BLIUIO		LXT 18V	2.0Ah BL1820B	10
	2.0Ah BL1020B	11		3.0Ah BL1830B	14
				4.0Ah BL1840B	20
	4.0Ah BL1040B	21		5.0Ah BL1850B	26
				6.0Ah BL1860B	31

On a single full battery charge

Job Site Radio

DMR112 7.2-18 V / AC

Frequency Band	FM / DAB / DAB+: 87.5 - 108 MHz / 174.928 - 239.200 MHz / 174.928 - 239.200 MHz
Speaker Size	Woofer: Ø89 mm x 2
Max Output	18 V: 4.9 W x2 , 14.4 V: 3 W x2, 12V max: 1.7 W x2, 7.2 V: 0.6 W x2
Bluetooth	Version: 4.0
	Profile: A2DP / SCMS-T
	Supported Codec: SBC / AAC
	Max Transmission Range (Optimum): 10 m (33 ft)
	Max Transmission Range (Possible): 30 m (98 ft)
	Transmission Power Class: 2
	Compatible Bluetooth Profile: A2DP
Dimensions (L x W x H)	w/ Handle in Retracted Position: 282x163x294 mm (11-1/8"x6-3/8"x11-5/8")
	w/ Handle in Upright Position: 262x163x431 mm (10-3/8"x6-3/8"x17")
Net weight	4.3 - 4.9 kg (9.5 - 10.9 lbs.)
	Standard Equipment: AC Adaptor

 $The {\it lightest} \ and \ heaviest \ combination, according \ to \ EPTA-Procedure \ 01/2014, are shown \ in \ the \ table.$

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan